



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

20 September 2012

Mike Rigby
Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax, VA 22031
RE: EC Durango Pilot

Enclosed are the results of analyses for samples received by the laboratory on 09/05/12 20:30.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Debbie Zufelt". The signature is written in a cursive, flowing style.

Debbie Zufelt
Reports Manager



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
ECD-1	1209024-01	Water	09/05/12 13:30	09/05/12 20:30
ECD-2	1209024-02	Water	09/05/12 14:20	09/05/12 20:30
ECD-3	1209024-03	Water	09/05/12 15:05	09/05/12 20:30
ECD-4	1209024-04	Water	09/05/12 15:30	09/05/12 20:30
ECD-5	1209024-05	Water	09/05/12 16:25	09/05/12 20:30
ECD-6	1209024-06	Water	09/05/12 16:40	09/05/12 20:30
ECD-7	1209024-07	Water	09/05/12 17:10	09/05/12 20:30
ECD-8	1209024-08	Water	09/05/12 17:30	09/05/12 20:30
ECD-9	1209024-09	Water	09/05/12 17:55	09/05/12 20:30
ECD-R	1209024-10	Water	09/05/12 18:40	09/05/12 20:30

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 2 of 37



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-1**1209024-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	20.0	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1300	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	1180	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	11.2	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	96.9	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	ND	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	380	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	95.9	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	30.3	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	29.1	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	9.52	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	0.211	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.0609	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	44.4	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	8.95	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-1**1209024-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	ND	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	ND	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	44.3	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	8.51	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-2**1209024-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1600	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	480	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	4.48	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	96.8	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	1.48	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	427	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	95.0	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	31.0	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	16.1	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	17.0	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	4.76	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.123	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	46.0	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	15.3	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-2

1209024-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	4.61	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.106	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	46.6	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	14.2	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 6 of 37



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-3**1209024-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1700	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	200	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	7.69	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	122	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	3.01	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	442	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	114	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	31.7	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	14.6	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	19.8	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	5.37	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.116	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	46.1	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	17.6	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-3**1209024-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	4.80	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.0930	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	46.9	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	15.6	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-4**1209024-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1650	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	760	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	10.3	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	73.4	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	9.17	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	432	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	70.3	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	31.9	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	15.5	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	19.0	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	22.8	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.854	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	45.9	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	16.3	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-4**1209024-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	21.5	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.849	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	46.3	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	15.3	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-5**1209024-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1750	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	90.0	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	13.9	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	113	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	11.5	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	444	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	103	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	32.7	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	11.4	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	19.8	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	8.28	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.275	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	46.9	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	17.0	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-5**1209024-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	8.44	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.260	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	46.9	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	15.8	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-6**1209024-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1700	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	480	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	29.0	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	58.0	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	28.1	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	418	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	55.7	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	32.3	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	ND	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	19.9	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	14.3	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.771	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	47.3	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	17.1	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-6**1209024-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	13.4	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.749	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	45.6	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	16.2	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-7**1209024-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1750	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	450	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	39.8	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	75.3	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	35.1	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	393	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	65.1	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	30.9	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	ND	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	20.1	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	10.3	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.826	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	48.0	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	17.0	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-7**1209024-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	9.54	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.710	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	47.2	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	16.3	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-8**1209024-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1650	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	640	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	55.6	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	47.8	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	45.4	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	375	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	37.7	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	31.2	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	ND	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	20.1	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	10.0	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	0.884	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	45.3	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	16.6	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-8**1209024-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	9.98	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	0.885	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	46.4	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	16.0	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-9**1209024-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	-----------------	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Carbonate	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Hydroxide	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Alkalinity, Total	ND	10.0	mg/L	1	09/12/12	2320 B		ABP
Chloride	ND	10.0	mg/L	1	09/13/12	4500Cl- B		ABP
Sulfate	1600	500	mg/L	50	09/14/12	4500SO4 E		ABP
TSS	950	2.00	mg/L	1	09/07/12	160.2		ABP

Total Recoverable Metals by ICP

Aluminum	54.2	0.500	mg/L	10	09/14/12	6010B		JLM
Iron	47.0	0.500	mg/L	10	09/14/12	6010B		JLM

Dissolved Metals by ICP

Aluminum	74.5	0.500	mg/L	10	09/10/12	200.7		JGS
Calcium	326	10.0	mg/L	10	09/10/12	200.7		JGS
Iron	7.86	0.500	mg/L	10	09/10/12	200.7		JGS
Magnesium	30.7	10.0	mg/L	10	09/10/12	200.7		JGS
Potassium	ND	10.0	mg/L	10	09/10/12	200.7		JGS
Sodium	ND	10.0	mg/L	10	09/10/12	200.7		JGS

Potentially Dissolved Metals by ICP

Zinc	19.8	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Total Recoverable Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/20/12	6020A		JGS
Copper	10.4	0.0100	mg/L	100	09/20/12	6020A		JGS
Lead	1.09	0.0500	mg/L	100	09/20/12	6020A		JGS
Manganese	45.1	0.0500	mg/L	100	09/20/12	6020A		JGS
Zinc	16.6	0.100	mg/L	100	09/20/12	6020A		JGS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-9**1209024-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Cadmium	ND	0.0100	mg/L	100	09/19/12	200.8		JGS
Copper	9.70	0.250	mg/L	100	09/19/12	200.8		JGS
Lead	1.09	0.0750	mg/L	100	09/19/12	200.8		JGS
Manganese	47.0	0.0500	mg/L	100	09/19/12	200.8		JGS
Zinc	16.0	0.100	mg/L	100	09/19/12	200.8		JGS

Total Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Dissolved Mercury by CVAA

Mercury	ND	0.0002	mg/L	1	09/11/12	245.1		JGS
---------	----	--------	------	---	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

ECD-R

1209024-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	--------------------	-------	----------	----------	--------	-------	---------

Potentially Dissolved Metals by ICP

Zinc	21.3	0.500	mg/L	10	09/06/12	200.7		JGS
------	------	-------	------	----	----------	-------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 21 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B209080 - General Prep - Wet Chem

Blank (B209080-BLK1)

Prepared & Analyzed: 09/07/12

TSS ND 2.00 mg/L

Reference (B209080-SRM1)

Prepared & Analyzed: 09/07/12

TSS 152 2.00 mg/L 151 101 85-115

Batch B209096 - General Prep - Wet Chem

Blank (B209096-BLK1)

Prepared & Analyzed: 09/12/12

Alkalinity, Total ND 10.0 mg/L

LCS (B209096-BS1)

Prepared & Analyzed: 09/12/12

Alkalinity, Total 97.0 10.0 mg/L 100 97.0 85-115

LCS Dup (B209096-BSD1)

Prepared & Analyzed: 09/12/12

Alkalinity, Total 96.0 10.0 mg/L 100 96.0 85-115 1.04 20

Batch B209099 - General Prep - Wet Chem

Blank (B209099-BLK1)

Prepared & Analyzed: 09/13/12

Chloride ND 10.0 mg/L

LCS (B209099-BS1)

Prepared & Analyzed: 09/13/12

Chloride 98.0 10.0 mg/L 100 98.0 85-115

LCS Dup (B209099-BSD1)

Prepared & Analyzed: 09/13/12

Chloride 97.0 10.0 mg/L 100 97.0 85-115 1.03 20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209110 - General Prep - Wet Chem

Blank (B209110-BLK1)

Prepared & Analyzed: 09/14/12

Sulfate	ND	10.0	mg/L
---------	----	------	------

LCS (B209110-BS1)

Prepared & Analyzed: 09/14/12

Sulfate	53.0	10.0	mg/L	50.0	106	85-115
---------	------	------	------	------	-----	--------

LCS Dup (B209110-BSD1)

Prepared & Analyzed: 09/14/12

Sulfate	53.0	10.0	mg/L	50.0	106	85-115	0.00	20
---------	------	------	------	------	-----	--------	------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 23 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Total Recoverable Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209102 - EPA 3005

Blank (B209102-BLK1)

Prepared & Analyzed: 09/14/12

Aluminum	ND	0.050	mg/L							
Iron	ND	0.050	mg/L							

LCS (B209102-BS1)

Prepared & Analyzed: 09/14/12

Aluminum	3.83	0.050	mg/L	4.00		95.6	85-115			
Iron	3.88	0.050	mg/L	4.00		97.0	85-115			

LCS Dup (B209102-BSD1)

Prepared & Analyzed: 09/14/12

Aluminum	3.78	0.050	mg/L	4.00		94.4	85-115	1.31	20	
Iron	3.84	0.050	mg/L	4.00		96.0	85-115	1.01	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 24 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209065 - Dissolved/Potentially Dissolved Metals

Blank (B209065-BLK1)

Prepared & Analyzed: 09/10/12

Aluminum	ND	0.050	mg/L
Calcium	ND	1.00	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	1.00	mg/L
Potassium	ND	1.00	mg/L
Sodium	ND	1.00	mg/L

LCS (B209065-BS1)

Prepared & Analyzed: 09/10/12

Aluminum	5.23	0.050	mg/L	5.00	105	85-115
Calcium	5.23	1.00	mg/L	5.00	105	85-115
Iron	5.16	0.050	mg/L	5.00	103	85-115
Magnesium	27.9	1.00	mg/L	25.0	112	85-115
Potassium	10.0	1.00	mg/L	10.0	100	85-115
Sodium	8.31	1.00	mg/L	8.10	103	85-115

LCS Dup (B209065-BSD1)

Prepared & Analyzed: 09/10/12

Aluminum	5.26	0.050	mg/L	5.00	105	85-115	0.653	20
Calcium	5.25	1.00	mg/L	5.00	105	85-115	0.272	20
Iron	5.18	0.050	mg/L	5.00	104	85-115	0.324	20
Magnesium	28.1	1.00	mg/L	25.0	112	85-115	0.592	20
Potassium	10.1	1.00	mg/L	10.0	101	85-115	0.711	20
Sodium	8.33	1.00	mg/L	8.10	103	85-115	0.191	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 25 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Potentially Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209054 - Dissolved/Potentially Dissolved Metals

Blank (B209054-BLK1)

Prepared & Analyzed: 09/06/12

Zinc	ND	0.050	mg/L
------	----	-------	------

LCS (B209054-BS1)

Prepared & Analyzed: 09/06/12

Zinc	2.59	0.050	mg/L	2.50	104	85-115
------	------	-------	------	------	-----	--------

LCS Dup (B209054-BSD1)

Prepared & Analyzed: 09/06/12

Zinc	2.56	0.050	mg/L	2.50	102	85-115	1.16	20
------	------	-------	------	------	-----	--------	------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 26 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Total Recoverable Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B209125 - EPA 3005M

Blank (B209125-BLK1)

Prepared: 09/18/12 Analyzed: 09/20/12

Cadmium	ND	0.0001	mg/L							
Copper	0.0003	0.0001	mg/L							B1
Lead	ND	0.0005	mg/L							
Manganese	ND	0.0005	mg/L							
Zinc	ND	0.0010	mg/L							

LCS (B209125-BS1)

Prepared: 09/18/12 Analyzed: 09/20/12

Cadmium	0.0504	0.0001	mg/L	0.0500	101	85-115			
Copper	0.0549	0.0001	mg/L	0.0500	110	85-115			
Lead	0.0502	0.0005	mg/L	0.0500	100	85-115			
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115			
Zinc	0.0487	0.0010	mg/L	0.0500	97.4	75-125			

LCS Dup (B209125-BSD1)

Prepared: 09/18/12 Analyzed: 09/20/12

Cadmium	0.0501	0.0001	mg/L	0.0500	100	85-115	0.740	20
Copper	0.0525	0.0001	mg/L	0.0500	105	85-115	4.39	20
Lead	0.0506	0.0005	mg/L	0.0500	101	85-115	0.693	20
Manganese	0.0519	0.0005	mg/L	0.0500	104	85-115	0.624	20
Zinc	0.0509	0.0010	mg/L	0.0500	102	75-125	4.37	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 27 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B209061 - Dissolved/Potentially Dissolved Metals

Blank (B209061-BLK1)

Prepared: 09/07/12 Analyzed: 09/19/12

Cadmium	ND	0.0001	mg/L							
Copper	0.0021	0.0001	mg/L							B3
Lead	0.0007	0.0005	mg/L							B3
Manganese	ND	0.0005	mg/L							
Zinc	0.0016	0.0010	mg/L							B1

LCS (B209061-BS1)

Prepared: 09/07/12 Analyzed: 09/19/12

Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115				
Copper	0.0535	0.0001	mg/L	0.0500	107	85-115				
Lead	0.0481	0.0005	mg/L	0.0500	96.2	85-115				
Manganese	0.0537	0.0005	mg/L	0.0500	107	85-115				
Zinc	0.0529	0.0010	mg/L	0.0500	106	85-115				

LCS Dup (B209061-BSD1)

Prepared: 09/07/12 Analyzed: 09/19/12

Cadmium	0.0507	0.0001	mg/L	0.0500	101	85-115	0.0599	20		
Copper	0.0508	0.0001	mg/L	0.0500	102	85-115	5.14	20		
Lead	0.0475	0.0005	mg/L	0.0500	95.1	85-115	1.23	20		
Manganese	0.0501	0.0005	mg/L	0.0500	100	85-115	7.04	20		
Zinc	0.0521	0.0010	mg/L	0.0500	104	85-115	1.54	20		

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 28 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Total Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209083 - EPA 245.1/7470

Blank (B209083-BLK1)

Prepared & Analyzed: 09/11/12

Mercury	ND	0.0002	mg/L
---------	----	--------	------

LCS (B209083-BS1)

Prepared & Analyzed: 09/11/12

Mercury	0.0019	0.0002	mg/L	0.00200	92.6	85-115
---------	--------	--------	------	---------	------	--------

LCS Dup (B209083-BSD1)

Prepared & Analyzed: 09/11/12

Mercury	0.0018	0.0002	mg/L	0.00200	90.0	85-115	2.74	20
---------	--------	--------	------	---------	------	--------	------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 29 of 37



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B209082 - EPA 245.1/7470

Blank (B209082-BLK1)

Prepared & Analyzed: 09/11/12

Mercury	ND	0.0002	mg/L
---------	----	--------	------

LCS (B209082-BS1)

Prepared & Analyzed: 09/11/12

Mercury	0.0019	0.0002	mg/L	0.00200	95.8	85-115
---------	--------	--------	------	---------	------	--------

LCS Dup (B209082-BSD1)

Prepared & Analyzed: 09/11/12

Mercury	0.0018	0.0002	mg/L	0.00200	91.5	85-115	4.54	20
---------	--------	--------	------	---------	------	--------	------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 30 of 37



Waste Water Management, Inc.
2820 Dorr Ave, Ste 200
Fairfax VA, 22031

Project: EC Durango Pilot
Project Name / Number: BLM
Project Manager: Mike Rigby

Reported:
09/20/12 14:04

Notes and Definitions

- B3 Target analyte detected in method blank. Reporting limit elevated to account for blank result.
- B1 Target analyte detected in method blank at or above method reporting limit. Sample concentration found to be 10 times above the concentration found in the method blank or less than the reporting limit.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.
- RPD Relative Percent Difference
- LCS Laboratory Control Sample (Blank Spike)

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



CHAIN OF CUSTODY RECORD

Page 1 of 5

Client: W M I

Contact: NICK JOSTIES

Address: 2820 DORE AVE #200

FAIRFAX, VA 22031

Phone Number: 703-846-0098

Email: Nick.Josties@wmi.net

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinseate, 5 = Oil
6 = Waste, 7 = Other (Specify) _____

FOR GAL USE ONLY

GAL JOB #

1209-024





Project Name: EC DURANGO PILOT

Samplers Signature: [Signature]

Lab Name: Green Analytical Laboratories (970) 247-4220 FAX (970) 247-4227

Address: 75 Suttle Street, Durango, CO 81303 www.greenanalytical.com

Analyses Required

Lab Name: Green Analytical Laboratories				(970) 247-4220				FAX (970) 247-4227				Analyses Required							
Address: 75 Suttle Street, Durango, CO 81303				www.greenanalytical.com															
Sample ID	Date	Time	Collected by: (Init.)	Miscellaneous			Preservative(s)				Total Suspended Solids	6010B	6020A	245.1 Hg Total	200.7	200.8	245.1 Hg Dissolved	Zinc-Potentially Dissolved	Comments
				Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	HNO3	HCL	H2SO4									
1. ECD-1	9/5/12	13:30	NJ	1	1	N	X					X							
2. ECD-1	9/5/12	13:40	NJ	1	1	N	X					X							
3. ECD-1	9/5/12	13:40	NJ	1	1	Y	X							X		X	X		
4. ECD-1	9/5/12	13:40	NJ	1	1	N	X											X	
5. ECD-2	9/5/12	14:20	NJ	1	1	N	X						X						
6. ECD-2	9/5/12	14:45	NJ	1	1	N	X						X						
7. ECD-2	9/5/12	14:45	NJ	1	1	Y	X							X		X	X		
8. ECD-2	9/5/12	14:45	NJ	1	1	N	X											X	
9.																			
10.																			
Relinquished by: 				Date: 9/5/12	Time: 2030	Received by: 				Date: 9/5/12	Time: 2030								
Relinquished by: 				Date: 9/5/12	Time: 2030	Received by: 				Date: 9/5/12	Time: 2030								

* Sample Reject: [] Return [] Dispose [] Store (30 Days)



CHAIN OF CUSTODY RECORD

Page 2 of 5

Client: WWM/E

Contact: Nick Jagtles

Address: 2820 Port Ave #2000

Fairfax, VA 22031

Phone Number: 703 846.0698

Email: nike.jagles@wwm.net

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO#

Project Name: EC Durango Pilot

Samplers Signature:

Table 1. - Matrix Type

- 1) Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinseate, 5 = Oil
6 = Waste, 7 = Other (Specify) _____

FOR GAL USE ONLY

GAL JOB #

1209-024


Lab Name: Green Analytical Laboratories (970) 247-4220 FAX (970) 247-4227

Address: 75 Suttle Street, Durango, CO 81303 www.greenanalytical.com

Analyses Required

Lab Name: Green Analytical Laboratories (970) 247-4220 FAX (970) 247-4227										Analyses Required																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Address: 75 Suttle Street, Durango, CO 81303 www.greenanalytical.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Sample ID		Date	Time	Miscellaneous			Preservative(s)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				Collection	Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	HNO3											HCL	H2SO4	NAOH	Other (Specify)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1. ECD-3		9/5/12	15:05				N	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

* Sample Reject: [] Return [] Dispose [] Store (30 Days)



Client: WWMJ

Contact: NICK JUSTICES

Address: 2820 DORE AVE #200

FAIRFAX, VA 22031

Phone Number: 703-846-0098

Email: NICK.JUSTICES@WWMJ.NET

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO#

Project Name: EC DUREAU PILOT

Samplers Signature: [Signature]

CHAIN OF CUSTODY RECORD

Page 3 of 5

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinse, 5 = Oil
6 = Waste, 7 = Other (Specify) _____

FOR GAL USE ONLY

GAL JOB #
1209-024

Lab Name: Green Analytical Laboratories


(970) 247-4220 FAX (970) 247-4227

Address: 75 Suttle Street, Durango, CO 81303

www.greenanalytical.com

Analyses Required

Sample ID	Date	Time	Collected by: (Init.)	Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	Preservative(s)					Analyses Required						Comments		
								HNO3	HCL	H2SO4	NAOH	Other (Specify)	Total Suspended Solids	6010 B	6020 A	245.1 Hg Total	200.7	200.8		245.1 Hg Dissolved	Zinc-Potentially Dissolved
1. ECD-5	9/5/12	16:25				N	X						X								
2. ECD-5	9/5/12	16:50				N	X						X								
3. ECD-5	9/5/12	16:50				Y	X								X						
4. ECD-5	9/5/12	16:50				N	X														
5. ECD-6	9/5/12	16:40				N	X						X								
6. ECD-6	9/5/12	17:00				N	X						X								
7. ECD-6	9/5/12	17:00				Y	X								X						
8. ECD-6	9/5/12	17:00				N	X														
9.																					
10.																					
Reinquished by:																					
Reinquished by:																					



CHAIN OF CUSTODY RECORD

Page 4 of 5

Client: MMWIT

NOTES:

Contact: Nick Testies

1) Ensure proper container packaging.

Address: 2820 Dorr Ave #200

2) Ship samples promptly following collection.

Fairfax, VA 22031

3) Designate Sample Reject Disposition.

Phone Number: 703 846 0098

PO#

Email: nick.testies@mmwit.net Project Name: EC Durango Pilot

Samplers Signature: [Signature]

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinse, 5 = Oil
6 = Waste, 7 = Other (Specify)

FOR GAL USE ONLY

GAL JOB #

1209-024

Lab Name: Green Analytical Laboratories

(970) 247-4220 FAX (970) 247-4227

Analyses Required

Address: 75 Suttle Street, Durango, CO 81303

www.greenanalytical.com

Sample ID	Date	Time	Collected by: (Init.)	Matrix Type From Table 1	No. of Containers	Sample Filtered ? Y/N	Unpreserved (Ice Only)	Preservative(s)					Total Suspended Solids	6010B	6010A	245.1 Hg Total	200.7	206.0	245.1 Hg Dissolved	Zinc - Potentially Dissolved	Comments
								HNO3	HCL	H2SO4	NAOH	Other (Specify)									
1. ECD-2		17:10				Z	X														
2. ECD-7		17:30				Z	X														
3. ECD-7		17:30				Z	X														
4. ECD-7		17:30				Z	X														
5. ECD-8		17:30				Z	X														
6. ECD-8		17:50				Z	X														
7. ECD-8		17:50				Z	X														
8. ECD-8		17:50				Z	X														
9.																					
10.																					
Relinquished by:																					
Relinquished by:																					

* Sample Reject: [] Return [] Dispose [] Store (30 Days)

Analytical Services Quotation

BLM
Waste Water Management, Inc.
Mike Rigby

Bid Date: 06/11/2012
Bid Expires: 06/11/2013
Prices Expire: 06/11/2013

Matrix	Parameters	Method	#	TAT (days)	Unit Price	Extended Price
Water	Aluminum Total Recoverable by ICP	6010B	1	10	\$10.80	\$10.80
Water	Iron Total Recoverable by ICP	6010B	1	10	\$10.80	\$10.80
Water	Aluminum Dissolved by ICP	200.7	1	10	\$10.80	\$10.80
Water	Iron Dissolved by ICP	200.7	1	10	\$10.80	\$10.80
Water	Cadmium Total Recoverable by ICPMS	6020A	1	10	\$14.40	\$14.40
Water	Copper Total Recoverable by ICPMS	6020A	1	10	\$14.40	\$14.40
Water	Lead Total Recoverable by ICPMS	6020A	1	10	\$14.40	\$14.40
Water	Manganese Total Recoverable by ICPMS	6020A	1	10	\$14.40	\$14.40
Water	Zinc Total Recoverable by ICPMS	6020A	1	10	\$14.40	\$14.40
Water	Cadmium Dissolved by ICPMS	200.8	1	10	\$14.40	\$14.40
Water	Copper Dissolved by ICPMS	200.8	1	10	\$14.40	\$14.40
Water	Lead Dissolved by ICPMS	200.8	1	10	\$14.40	\$14.40
Water	Manganese Dissolved by ICPMS	200.8	1	10	\$14.40	\$14.40
Water	Zinc Dissolved by ICPMS	200.8	1	10	\$14.40	\$14.40
Water	Mercury Total by CVAA	245.1	1	10	\$36.00	\$36.00
Water	Mercury Dissolved by CVAA	245.1	1	10	\$36.00	\$36.00

Item	Description	ItemType	Quantity	Price	Rate	ItemTotal
LineItem	Digest Fee	Standard	1	\$13.50		\$13.50
						\$272.70

Debbie Zufelt
Reports Manager
Green Analytical Laboratories

Page 1 of 1

Page 37 of 37